

## Nickel Cadmium Batteries



# Panasonic®

### Rechargeable - Bulk

**Panasonic Rechargeable Nickel Cadmium** batteries feature the performance, high-power, and reliability needed for today's high-technology equipment. This ranges from audio visual and communications equipment to motorized devices and hobby equipment.

#### **Features By Product Type:**

##### **Standard "N" Type**

- Low internal resistance and excellent discharge performance
- Reliability over a wide range of operating temperatures

##### **High Capacity "S" Type**

- Higher capacity - compared to standard type
- Compact dimensions and faster recharge time

##### **Rapid Charge "R" Type**

- 1-hour rapid charge

##### **High Rate Discharge & Rapid Charge "P" Type**

- Super high rate discharge



<b>PART #</b>	<b>SIZE</b>	<b>TYPE</b>	<b>VOLTS</b>	<b>CAPACITY</b>	<b>DIAMETER (mm)</b>	<b>HEIGHT (mm)</b>
P-11AA	1/3AA	N	1.2	120 mah	14.5+0/-0.7	17.5+0/-1.0
P-18N	N	N	1.2	190 mah	12.0+0/-0.7	30.0+0/-1.0
P-25AAAR/FT	AAA	R	1.2	280 mah	10.5+0/-0.7	44.5+0/-1.0
P-30AAR	2/3AA	R	1.2	330 mah	14.5+0/-0.7	28.2+0/-1.0
P-70AA/B	AA	N	1.2	740 mah	14.5+0/-0.7	50.0+0/-1.0
P-70AARC/FT	AA	R	1.2	740 mah	14.5+0/-0.7	48.3+0/-1.0
P-100AASJ/B	AA	S	1.2	1080 mah	14.5+0/-0.7	50.0+0/-1.0
P-100AASJ/FT	AA	S	1.2	1080 mah	14.5+0/-0.7	50.0+0/-1.0
P-110AS	4/5A	S	1.2	1180 mah	17.0+0/-0.7	43.0+0/-1.5
P-120AS	4/5A	S	1.2	1280 mah	17.0+0/-0.7	43.0+0/-1.5
P-120AAS	L-AA	S	1.2	1280 mah	14.5+0/-0.7	65.0+0/-1.0
P-120SCJS	4/5SC	P	1.2	1350 mah	23.0+/-1.0	34.0+0/-1.5
P-140AS	A	S	1.2	1530 mah	17.0+0/-0.7	50.0+0/-1.5
P-150AS	4/5A	S	1.2	1530 mah	17.0+0/-0.7	43.0+0/-1.5
P-140SCC	CSC	R	1.2	1550 mah	23.0+0/-1.0	42.0+0/-1.5
P-150SCS	SC	P	1.2	1600 mah	23.0+/-1.0	43.0+0/-1.5
P-170SCS	SC	P	1.2	1800 mah	23.0+/-1.0	43.0+0/-1.5
P-200SCS	SC	P	1.2	2100 mah	23.0+/-1.0	43.0+0/-1.5
P-230SCS	L-SC	S	1.2	2490 mah	23.0+0/-1.0	50.0+0/-1.5
P-240C	C	N	1.2	2600 mah	25.8+0/-1.0	50.0+0/-1.5
P-500DR	D	R	1.2	5500 mah	33.0+0/-1.0	61.0+0/-1.5

**Please call for pricing and availability on all products listed above.**